

Message

---

**From:** Ghanta, Venu G [Venu.Ghanta@duke-energy.com]  
**Sent:** 3/20/2018 5:59:05 PM  
**To:** Cook, Steven [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=394f5dede6184bc083cf9390e49a192c-Cook, Steve]  
**CC:** Brown, Byron [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=9242d85c7df343d287659f840d730e65-Brown, Byro]  
**Subject:** Discussion on CCR proposed amendments

Hi Steven-

Hope you are well.

I wanted to see if we could set up a call with your staff to get a better understanding of some of the provisions in the recently proposed amendments to the CCR program.

The issues of most interest to us are:

- Definition of non-groundwater releases
- Corrective action procedures for non-groundwater releases that can be remediated within 180 days
- Use of CCR to close impoundments undergoing forced closure
- Addition of boron to App IV
- Alternate closure provision for non-CCR wastewaters

Let me know what works best on your end.

Thanks, Venu



Venu Ghanta  
*Federal Regulatory Affairs Director*  
325 7th Street NW, Suite 300, Washington, DC 20004  
Office: 202-824-8013

Cell: Personal Phone / Ex. 6